FIG. 1




FIG. 2

HOST COMPUTER		PRINTERS
BROADCAST OF	SEARCH CONDITIONS	
	IP. Name, Location, 10ppm	PrinterA
	IP. Name. Location. 10ppm	PrinterB
	IP. Name, Location, 10ppm	PrinterC
•	IP. Name. Location. 10ppm	PrinterD
•	IP. Name. Location. 20ppm	PrinterE
		PrinterF
	·	PrinterG
		PrinterH

FIG. 3 (a)

ll'adress	Name	Location	Speed	Coples
33.151.12.34	Printer A	Bill's desk	10ppm	1 ,
33.151.54.35	Printer B	John's desk	10ppm	1
133.151.54.46	Printer C	cpu room	t0ppm	1
133,151,12,72	Printer D	cpu room	10ppm	<u>l</u>
133.151.12.54	Printer E	Tom's desk	20ppm	<u> </u>
			o K	

FIG. 3 (b)

ELECT PRINTERS					
IP adress	Name	Location	Speed	Copies	
WK SHVI	Mark A	And the second	/ Poppm/	77/11	1
133.151.54.35	Printer B	John's desk	10ppm	1	
133,151.54,46	Printer C	eon toom	10ppm	1	1
132111227	Printer	000 0 0	// Doppo	7/04/11	-
235131612347A	CHARLE !	I on Liber	7/20min/	44442	
			o K		
			ll l		

FIG. 4






FIG. 5








FIG. 8







FIG. 9










FIG. 13

NUMBER OF RETRANSMISSIONS	3
FIRST RETRANSMISSION TIME	3HRS 30MIN
SECOND RETRANSMISSION TIME	4HRS COMIN
THIRD RETRANSMISSION TIME	24HRS OOMI,N

FIG. 14 (a)




FIG. 15 (a)

